

TRACES AND DETERMINANTS
OF
PSEUDODIFFERENTIAL
OPERATORS

Simon Scott

July 14, 2009

PARA SUSANA, POR SUPUESTO.

Contents

1	Traces	7
1.1	Definition and uniqueness of a trace	7
1.1.1	Traces and DGAs	12
1.1.2	Example: Bounded operators	15
1.1.3	Matrix algebras	16
1.1.4	Example: Commutative algebras	18
1.1.5	Example: Non-commutative torus	18
1.1.6	Example: de Rham currents	19
1.1.7	Example: Smoothing operators	23
1.1.8	Example: Pseudodifferential operators	24
1.2	Characters and (algebraic) K-theory	27
1.2.1	Cyclic homology	28
1.2.2	$K_0(\mathcal{A})$	33
1.2.2.1	Chern character on $K_0(\mathcal{A})$	35
1.2.2.2	Example: topological even K-theory	36
1.2.2.3	Superconnections: Chern-Weil on $K_0(M)$	38
1.3	Trace ideals in $B(H)$	39
1.3.1	$B(H)$ has no trace if H is ∞ -dimensional, and a unique trace if H is finite-dimensional	39
1.3.2	Traces on commutator ideals	44
1.3.3	The ideal $F(H)$ of finite rank operators has a unique trace	45
1.3.4	On the ideal $C(H)$ of compact operators there is no trace	47
1.3.5	The Schatten ideals C_p and the classical trace	47
1.3.5.1	C_1 : trace class operators	49
1.3.5.2	Tr on smoothing operators on \mathbb{R}^n	50
1.3.5.3	Tr on C_1	52

1.3.6	Exotic traces	54
1.4	Holomorphic functional calculus on a Banach algebra	55
1.4.1	Functional integrals	55
1.4.1.1	Spectral cut and Agmon angle	56
1.4.1.2	Traces on functional integrals	57
1.4.1.3	Functional integrals on $\mathbf{B}(H)$ and trace ideals	59
1.4.1.4	Products of functional integrals	60
1.4.2	Complex Powers, logarithms and heat operators	61
1.4.2.1	Integer powers	61
1.4.2.2	Logarithm and complex power functions	63
1.4.2.3	Logarithm and complex power operators	64
1.4.2.4	Dependence on the spectral cut	65
1.4.2.5	Spectral zeta functions on Banach algebras	67
1.4.2.6	Heat operators	68
1.4.3	Functional calculus on the de Rham algebra	71
1.4.3.1	Quillen-Chern-Weil theory	75
1.5	Traces on ψ dos	80
1.5.1	Symbol algebras	81
1.5.2	Classical symbols	83
1.5.3	Pseudodifferential operators (ψ dos)	84
1.5.3.1	Classical ψ dos	88
1.5.4	The unique trace on $\Psi^{\mathbb{Z}}$	90
1.5.4.1	Commutator structure of Ψ^{∞}	90
1.5.4.2	Commutator structure of $\Psi^{-\infty}$	92
1.5.5	A unique quasi-trace on $\Psi^{C \setminus \mathbb{Z}_n}$	92
1.5.6	Meromorphic extension of TR to $\Psi^{\mathbb{Z}_n}$	94
1.5.6.1	Gaugings of ψ dos and meromorphic continuation	96
1.5.6.2	Trace formulae for the Laurent coefficients	98
1.5.7	Example: zeta-functions	100
1.5.7.1	Complex power gaugings	101
1.5.7.2	Spectral zeta functions	103
1.5.7.3	The higher Laurent expansion	105
1.5.7.4	Zeta quasi-traces	106

1.5.7.5	Dependence on the choice of principal angle θ . . .	110
1.5.7.6	Resolvent trace expansion	111
1.5.7.7	Heat trace invariants	112
1.5.8	Traces on subalgebras of ψ dos	113
1.5.8.1	The classical L^2 trace	114
1.5.8.2	TR on even-even (odd class) operators	114
1.5.8.3	Leading symbol traces	116
1.5.9	Suspended traces	117
1.5.10	Traces on families of smoothing operators	123
1.5.11	Traces on geometric families of ψ dos	127
1.6	Notes	130
2	Determinants	147
2.1	Logarithmic representations of semigroups	147
2.1.1	Global logarithms	147
2.1.1.1	Logs pull back	149
2.1.2	Local logarithms	149
2.1.3	Determinant structures	150
2.1.3.1	Counting log-determinant structures	152
2.1.4	Determinant structures and DGAs	153
2.1.5	Logarithms on categories	154
2.2	Example: Fredholm index	155
2.2.1	Fredholm operators	155
2.2.2	The index as a determinant structure	156
2.2.3	The restricted general linear group $\mathrm{Gl}_{\mathrm{res},j}(H)$	158
2.2.4	The families index	159
2.2.4.1	A logarithm on the category $\mathrm{Cat}_{\mathrm{Fred}}$	159
2.2.4.2	The index bundle	160
2.3	Universal odd logarithm	163
2.3.1	The universal odd log	163
2.3.1.1	Example: $\mathrm{Gl}_{\mathrm{res}}(H)$	170
2.3.2	Logs and $K_1(\mathcal{A})$	171
2.3.2.1	Example: log-holonomy	172
2.3.2.2	Logs on $\mathrm{Gl}_{\infty}(\mathcal{A})$	173

2.3.2.3	The odd Chern character on $K_1(\mathcal{A})$	173
2.3.2.4	$K_{-1}(\mathcal{A})$ and topological odd K-theory	175
2.4	Logarithm structures on a Banach algebra	178
2.4.0.5	Suspended log	180
2.4.1	Example: the classical logarithm	181
2.4.2	The Fredholm-determinant structure	184
2.4.2.1	$\det_{\mathbb{F}}$ and the first odd Chern form	185
2.4.2.2	Spectral zeta function and heat trace formulae	187
2.4.2.3	$\det_{\mathbb{F}}$ and $\mathrm{Gl}_1(I + \mathbf{C}_1(H))$	189
2.4.3	Constructions of the Fredholm determinant	190
2.4.3.1	Combinatorial spectral invariant	190
2.4.3.2	Character of the fundamental representation	191
2.4.3.3	Canonical trivialization of the determinant line	192
2.4.3.4	The determinant line of a Fredholm operator	194
2.4.3.5	Graded Fredholm determinant	196
2.4.3.6	Gaussian and Fermionic integrals	197
2.4.3.7	Determinants of self-adjoint operators	199
2.4.4	Exotic determinants	200
2.5	de Rham determinants	201
2.5.1	The classical local logarithm on $\Omega(M, \mathrm{End} E)$	201
2.5.2	Odd log on $C^\infty(M, G)$	203
2.6	Trace structures on logarithmic ψ dos	204
2.6.1	Log-classical ψ dos	204
2.6.1.1	Log-polyhomogeneous symbols	205
2.6.1.2	Log-classical ψ dos	207
2.6.1.3	The logarithm operator	207
2.6.2	Trace structure of $\Psi^{\mathbb{Z}, \mathbb{N}}$	210
2.6.2.1	Higher residue traces on $\Psi^{\mathbb{Z}, \mathbb{N}}$	211
2.6.2.2	Commutator structure of $\Psi^{\mathbb{C}, \mathbb{N}}$	213
2.6.2.3	TR on $\Psi^{\mathbb{C} \setminus \mathbb{Z}_n, \mathbb{N}}(M, E)$	213
2.6.2.4	Meromorphic extension of TR to $\Psi^{\mathbb{Z}, \mathbb{N}}$	214
2.6.2.5	Zeta functions of log-classical ψ dos	217
2.6.2.6	Traces on proper subalgebras of $\Psi^{\mathbb{Z}, \mathbb{N}}$	218

2.6.2.7	Traces on families of log-classical ψ dos	219
2.7	Determinant structures on classical ψ dos	219
2.7.1	The residue determinant	220
2.7.1.1	The residue determinant and $\zeta(A, 0)$	223
2.7.1.2	The residue determinant and the index	224
2.7.1.3	A ‘better’ residue determinant structure	225
2.7.2	Leading symbol determinants	226
2.7.3	The ‘order’ determinant structure on Ψ^∞	228
2.7.4	A uniqueness result	228
2.7.5	Zeta quasi-determinants	229
2.7.5.1	Variation of the ζ -determinant	234
2.7.5.2	The multiplicative anomaly and the Polyakov formula	235
2.7.6	Further log-determinant structures on ψ dos	237
2.7.6.1	ψ do determinant structures on trace ideals	237
2.7.6.2	TR determinants on even-even operators	237
2.7.6.3	The index determinant and odd Chern forms	238
2.7.6.4	Suspended determinants and the eta invariant	240
2.7.6.5	Pole structure of $\eta(D, z)$ and η_{sus}	245
2.7.6.6	Determinants on geometric families of ψ dos	247
2.8	Notes	249
3	Computations, transition formulae, and the local index formula	259
3.1	Computations using classical zeta functions	260
3.1.1	Dirac-type operators on the circle	260
3.1.1.1	Relative zeta determinants and formal quotients	265
3.1.1.2	Special values of the Riemann zeta function	265
3.1.2	Laplacians on higher dimensional spheres	267
3.1.3	Laplacian on the torus	270
3.2	Computations on compact quotients	274
3.2.1	Pushing-down Schwartz kernels	274
3.2.1.1	Extension to flat Γ -bundles	276
3.2.2	Traces and regularized traces on compact quotients	277
3.2.2.1	The spectral-geometric trace formula	277
3.2.2.2	The Selberg-Arthur trace formula	279

3.2.2.3	A regularized spectral-geometric trace formula . . .	281
3.2.3	Spectral-geometric trace formulae on tori: Poisson summation	282
3.2.3.1	Spectral-geometric trace formulae on S^1	282
3.2.3.2	Variational computation of $\det \zeta D$ on S^1	288
3.2.3.3	Spectral-geometric heat trace on tori	289
3.2.3.4	Laplacian determinant from the heat trace on S^1 .	290
3.2.3.5	Determinant of the Laplacian coupled to a flat bundle on a 2-torus	293
3.2.3.6	Regularized $\det \bar{\partial}_\Sigma$ on an elliptic curve	297
3.2.4	Computations on higher genus Riemann surfaces	299
3.2.4.1	A Selberg heat trace formula	299
3.2.4.2	Relative Laplacian ζ -determinant on a surface . . .	300
3.2.4.3	Conformal variation of the Laplacian determinant .	301
3.2.5	Relative holomorphic torsion on negatively curved manifolds	305
3.3	Computations using the complex powers	306
3.3.1	Complex powers and transition formulae	306
3.3.1.1	Basic properties	308
3.3.1.2	Functional integral computation on S^1	310
3.3.2	Resolvent trace and zeta trace	314
3.3.2.1	Mellin transform formulae	315
3.3.2.2	Resolvent trace and zeta trace transition formulae .	320
3.3.3	Heat trace and zeta trace	322
3.3.3.1	Resolvent trace to heat trace to zeta trace	322
3.3.3.2	General heat-zeta trace transition formulae	324
3.3.4	Relative determinant formulae	327
3.3.4.1	Relative heat kernel regularization	330
3.3.4.2	A multiplicativity property	331
3.3.4.3	Contour integral ζ -determinants on S^1	332
3.4	Residue determinant computations	336
3.4.1	Relative formulae for $\zeta(A, 0)$	336
3.4.2	Determinant property on $I + \Psi^{<0}$	339
3.4.3	Relative Laplacians	339
3.5	The local Atiyah-Singer index formula	342
3.5.1	Residue determinant and the index	343

3.5.2	Riemann Roch Hirzebruch formula	345
3.5.2.1	The local Riemann Roch formula on a surface . . .	347
3.5.3	An elementary proof of the local Atiyah-Singer index formula	353
3.5.3.1	Statement of the formula	355
3.5.3.2	Two traces	356
3.5.3.3	The resolvent symbols	359
3.5.3.4	Computing the index density	367
3.5.3.5	Reformulation for heat coefficients	374
3.6	Notes	379
4	Pseudodifferential operator trace formulae	385
4.1	Homogeneous distributions	385
4.1.1	Local distributions	386
4.1.2	The Fourier transform	387
4.1.3	Extendibility of homogeneous distributions	390
4.1.3.1	Example: dimension 1	393
4.1.4	Gauged distributions	398
4.1.4.1	Extensions via a gauging	400
4.1.4.2	Regularized limit method	403
4.1.5	Pull-back property of extensions	406
4.1.6	Log-homogeneous distributions	407
4.1.6.1	Log-homogeneous functions	407
4.1.6.2	Extending log-homogeneous functions	410
4.2	Distributions on manifolds	419
4.2.1	Densities and distributions	419
4.2.2	Push-forward map	421
4.2.3	Localizations	423
4.3	The Schwartz kernel theorem	426
4.3.1	The SKT push-forward	429
4.3.2	The unique trace on smoothing operators	430
4.4	Pseudodifferential operators	434
4.4.1	Oscillatory integrals	434
4.4.1.1	Regularization of oscillatory integrals	436
4.4.2	ψ dos on manifolds	438

4.4.3	Kernel singularity structure	445
4.4.3.1	Stationary phase approximation expansion	448
4.4.4	Gaugings of ψ dos: holomorphic parameters	450
4.4.4.1	Holomorphic families of symbols	451
4.4.4.2	Holomorphic families of ψ dos	454
4.5	TR on $\Psi^{\mathbb{C}\setminus\mathbb{Z}_n, \mathbb{N}}$	456
4.5.1	TR on $\Psi^{\mathbb{C}\setminus\mathbb{Z}_n}$	457
4.5.2	Traciality properties of TR	461
4.5.3	TR and finite-part integrals	462
4.5.4	TR on $\Psi^{\mathbb{C}\setminus\mathbb{Z}_n, \mathbb{N}}$	468
4.6	TR ^{mer} on $\Psi^{\mathbb{Z}_n}$	471
4.6.1	Laurent expansion of the gauged trace density	471
4.6.1.1	Global densities defined on M by the expansion	476
4.6.1.2	The full Laurent expansion	479
4.6.2	Trace and quasi-trace densities	485
4.6.3	The pole (the residue trace)	487
4.6.3.1	Formulae for sphere integrals	488
4.6.3.2	Existence and traciality of res	493
4.6.3.3	Uniqueness of res	494
4.6.4	The constant term (a quasi-trace)	496
4.6.4.1	Global existence of the density	496
4.6.4.2	Trace defect formulae	500
4.6.4.3	Traciality on even-even operators	504
4.7	TR ^{mer} on $\Psi^{\mathbb{Z}_n, \mathbb{N}}$	508
4.7.1	Construction of the quasi-trace density	509
4.7.2	Densities and (quasi-) traces	515
4.7.2.1	A higher residue trace and various quasi-traces	516
4.7.2.2	TR _{quasi} on $\Psi^{\mathbb{Z}_n, \mathbb{N}}$	517
4.7.2.3	Primitives in $\Psi^{\mathbb{Z}_n, \mathbb{N}}$	519
4.8	Complex power gauging	521
4.8.1	Weakly parameter dependent ψ dos	521
4.8.2	Trace formulae for the basic gauging on $\Psi^{\mathbb{C}\setminus\mathbb{Z}_n, \mathbb{N}}$	524
4.8.3	Formulae for the zeta determinant	531

4.8.3.1	Trace formulae for zeta regularized logs	532
4.8.3.2	Determinant defect / anomaly formulae	536
4.8.4	The residue determinant	539
4.8.4.1	Commutators of logarithmic ψ dos are classical . . .	540
4.8.4.2	The residue density on logarithmic ψ dos	541
4.8.4.3	$\text{res}([S, T]) = 0$ for $S, T \in \Psi_{\log}^{0,1} + \Psi^\infty$	541
4.8.4.4	$\text{res}(\log_\theta A)$ is independent of θ	542
4.8.4.5	The residue determinant and $\zeta(A, 0)$	544
4.8.4.6	$\text{res} \log AB = \text{res} \log A + \text{res} \log B$	548
4.8.4.7	\log_θ is a logarithm map	551
4.9	Notes	552
5	Geometric families of ψdos and determinant line bundles	565
5.1	Families of ψ dos associated to fibrations	566
5.1.1	Vertical ψ dos	566
5.1.1.1	Classical vertical ψ dos of non-constant order	569
5.1.1.2	Vertical ψ dos on fibred manifolds	570
5.1.2	Traces and quasi-traces on vertical ψ dos	570
5.1.3	Form valued vertical ψ dos	572
5.1.3.1	Vertical ellipticity and traces	574
5.1.4	Asymptotic expansion of the resolvent trace form	575
5.1.5	Zeta forms and zeta determinant forms	580
5.2	Determinant structures on vertical ψ dos	582
5.2.1	Vertical pseudodifferential logarithms	583
5.2.2	Review of facts about connections on $\pi_*(E)$	584
5.2.3	A ζ -form local family index theorem	589
5.2.4	A ζ -Chern form local family index theorem	592
5.2.4.1	Example: counting holomorphic sections	600
5.3	Determinant Line bundles for families of ψ dos	606
5.3.1	The determinant line bundle	607
5.3.1.1	The line bundle structure	608
5.3.1.2	Determinant bundle functor	609
5.3.1.3	Regularized determinant functions	610
5.3.2	The ζ metric and connection	612

5.3.2.1	The ζ metric	612
5.3.2.2	The ζ connection	613
5.3.2.3	Example: conformal anomaly and the Polyakov formula	615
5.3.2.4	Example: Quillen's computation of determinants of Cauchy Riemann operators over a Riemann surface	616
5.3.2.5	The parametrix formulae (5.3.2.26) and (5.3.2.27) .	621
5.4	Notes	626